



SpillTech

Smart Spill Solutions™

New Selection Guide!
Find the product you
need even faster!



Product Catalog

2015-2016



SpillTech

Mat Selection Just Got Easier!

New mat names focus on performance and application

When it's time to tackle a messy job, you want to know which product will work best for your particular application. The construction of our absorbents is what makes them superior leak and spill solutions, but it's the way each of them perform that determines which one is right for you. With that in mind, we've chosen new performance-based names for each line of absorbents!

OLD NAME	NEW NAME	USES
MeltBlown	RESPONDER	First on the scene for fast working spill response
SonicBonded	DEFENDER	Always prepared for overspray and spills
FineFiber	COMMANDER	Takes charge of machines and walkways
MultiLaminate	PROTECTOR	Stands up to your most demanding environments

HYC

Look for the black "Helps You Comply" box throughout this catalog for SpillTech Products that can assist you with regulatory compliance.

NEW Products!

Innovative new solutions to your workplace challenges

We're introducing some great new options for spill containment in this catalog. Our new line of duffle-bag spill kits are ideal for vehicle storage and on-the-road spill response. You'll be able to construct a semi-permanent spill control system for areas of any size or shape with our new Build Your Own Berm product line. We've also expanded our range of portable containment berms, including small-size portable duck pond options. Look for the "new" symbol throughout the catalog for more great new SpillTech products.

**Over 90
New Products
Inside!**

DKP2X2
page 74



Look for these graphics throughout the catalog. Each of them symbolize important selection information: fluid absorbed, primary application, absorbency and durability.

New Mat Selection Guide

Easily identify the best product for your needs

At SpillTech, we manufacture a wide range of mats, each designed to perform best in specific applications. Use this chart to help you select the optimal mats for keeping your facility clean and safe.

Fluid Absorbed	Primary Applications	Absorbency	Durability	Mat Name	Pg
<p>Oil-Only</p> <p>For absorbing oil while repelling water</p> <ul style="list-style-type: none"> Motor Oil Hydraulic Oil Gasoline Diesel Fuel Jet Fuel 	<ul style="list-style-type: none"> Marine Spills Economical 	★★★★★	★★★★☆	Oil-Only RESPONDER	4-5
	<ul style="list-style-type: none"> Overspray and Spills General Use 	★★★★☆	★★★★☆	Oil-Only DEFENDER	6-7
	<ul style="list-style-type: none"> Under Machines and Conveyers Walkways 	★★★★☆	★★★★☆	Oil-Only COMMANDER	8-9
	<ul style="list-style-type: none"> Oily Tools and Parts Demanding Environments 	★★★★☆	★★★★☆	Oil-Only PROTECTOR	10-11
	<ul style="list-style-type: none"> Use Where Static Is a Problem Aviation and Utility Industries 	★★★★★	★★★★☆	Oil-Only ARRESTOR	12
	<ul style="list-style-type: none"> Use as Mat, Roll, Pad and Sock Designed for Walkways 	★★★★☆	★★★★★	Oil-Only TRANSFORMER	13
<p>Universal</p> <p>For Oils, coolants, solvents and water</p> <ul style="list-style-type: none"> Hydraulic Oil Ethanol Gasoline Kerosene Water Mineral Spirits Turpentine 	<ul style="list-style-type: none"> General Applications Economical 	★★★★★	★★★★☆	Universal RESPONDER	20-21
	<ul style="list-style-type: none"> Overspray and Spills General Use 	★★★★☆	★★★★☆	Universal DEFENDER	22-23
	<ul style="list-style-type: none"> Moderate Foot Traffic All-Around Performer 	★★★★☆	★★★★☆	Universal COMMANDER	24-25
	<ul style="list-style-type: none"> Demanding Environments Low Linting 	★★★★☆	★★★★☆	Universal PROTECTOR	26-27
	<ul style="list-style-type: none"> Overspray and Spills Long-Lasting Performance 	★★★★☆	★★★★★	Universal SURVIVOR	28-29
	<ul style="list-style-type: none"> High Absorbency Good for Everyday Applications 	★★★★★	★★★★☆	Universal EcoTech	30
	<ul style="list-style-type: none"> Used as Mat, Roll, Pad and Sock Designed for Walkways 	★★★★☆	★★★★★	Universal TRANSFORMER	31
<p>HazMat</p> <p>For Acids, bases & unknown liquids</p> <ul style="list-style-type: none"> Acetone Toluene Xylene MEK (Methyl Ethyl Ketone) Hydrochloric Acid 	<ul style="list-style-type: none"> Hazardous and unknown liquids Lab and Hospital Spills 	★★★★☆	★★★★☆	HazMat DEFENDER	38-39
	<ul style="list-style-type: none"> Hazardous and unknown liquids Heavy Foot Traffic 	★★★★☆	★★★★★	HazMat COMMANDER	40-41

*For further help please contact your local Distributor.

Oil-Only 4-19



Mats	4-14
Socks.....	15
Pillows	15
Pans	15
Booms	16-17
Specialty.....	18-19
Mat Accessories.....	44

Oil-Only

Universal..... 20-37



Mats	20-33
Socks.....	34
Booms	35
Pillows	35
Pans	35
Specialty.....	36-37
Mat Accessories.....	44

Universal

HazMat..... 38-43



Mats	38-41
Socks.....	42
Booms	42
Pillows	42
Specialty.....	43
Mat Accessories.....	44

HazMat

Spill Kits..... 45-59



OverPack Kits.....	46-48
Duffle Kits.....	49
Portable Kits.....	50
Specialty Kits.....	50-51
Repair Kits.....	52
Customize Your Kit	53-59

Spill Kits

Stormwater Mgmt..... 60-63



Berms	60-61
DrainCovers.....	62
Conical DrainPlugs.....	62
Ultra-Dewatering Bag®	63
Ultra-GutterGuard®	63
Ultra-DrainGuard®	63

Stormwater Management

Containment 64-75



Leak Diverters	64
Prowler™ Pools	64
Burp-Free Funnels.....	65
Accessories	65
Spill Decks & Pallets	66-69
Portable Containment ..70, 74-75	
Sumps	71
Berms	72-73

Containment

Product Resources..... 76-91



Product SpecSheet.....	76-90
Regulation Compliance.....	91

Product Resources

RESPONDER

Economical MeltBlown mat for effective oil spill response

Highly Absorbent

Quick Oil-Only Cleanup

Effective for Marine Spills

Economical



Fluid:



For oils,
not water.



Application:

- Marine Spills
- Economical



Absorbency:



Durability:





Features and Benefits

- Best performing pad on water due to fast-wicking fibers
- Highly absorbent MeltBlown polypropylene mat repels water and soaks up only oil and oil-based fluids
- Floats even when completely saturated — most effective for marine spills
- Bright white color makes it easy to locate in spill emergencies
- Won't fall apart even when fully saturated

RESPONDER Mat Construction

Single layer of hydrophobic (oil-only) polypropylene



MeltBlown



Ideal for outdoor use — MeltBlown Mat provides quick, efficient cleanup to help protect the environment from contamination.

RESPONDER™ Mat

White Oil-Only Pads

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WP100H	HeavyWeight Pads	15" x 19"	100	33.4 gal.
WPK50H	HeavyWeight King Pads	30" x 30"	50	52.8 gal.
WP100M	MediumWeight Pads	15" x 19"	100	26.7 gal.
WP100GL	HighLoft Pads	15" x 18"	100	19.7 gal.
WPB100GL	HighLoft Pads	15" x 18"	100	19.5 gal.
WP100S	LightWeight Pads	15" x 19"	100	17.9 gal.
WP200S	LightWeight Pads	15" x 19"	200	35.7 gal.

White Oil-Only Rolls

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WR150H	HeavyWeight Roll	30" x 150'	1	63.4 gal.
WRS150H	HeavyWeight Split Rolls	15" x 150'	2	63.4 gal.
WR150M	MediumWeight Roll	30" x 150'	1	50.7 gal.
WR150G	HighLoft Roll	30" x 150'	1	41.2 gal.
WRB150G	HighLoft Roll	30" x 150'	1	39.8 gal.
WR300S	LightWeight Roll	30" x 300'	1	67.9 gal.
WRS300S	LightWeight Split Rolls	15" x 300'	2	67.9 gal.

**Oil-Only Booms also available.
See pages 16–17.**

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.30(a), 40 CFR 263.31, 49 CFR 173.3 (c)(2). See page 91 for details.

DEFENDER

Highly absorbent SonicBonded mat for oily spills and overspray

Everyday Use

Absorbs on Contact

Perforated for Your Needs



Fluid:



For oils,
not water.



Application:

- Overspray and Spills
- General Use



Absorbency:



Durability:






Features and Benefits

- Abrasion-resistant top layer gives pads and rolls strength for everyday cleanup jobs
- Perfect for medium-duty industrial, maintenance and general applications
- Quickly absorbs leaks, spills and overspray to keep floors dry
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Oil selective — repels water but absorbs oil and all oil-based fluids

DEFENDER Mat Construction

One layer of SpunBond fabric is ultrasonically bonded to a single layer of MeltBlown sorbent.



DEFENDER Mat has an abrasion-resistant top layer that's strong for everyday cleanup and general applications.



DEFENDER™ Mat

White Oil-Only Pads

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPB100H	HeavyWeight Pads	15" x 19"	100	29.1 gal.
WPB50H	HeavyWeight Pads	15" x 19"	50	14.6 gal.
WPKB50H	HeavyWeight King Pads	30" x 30"	50	45.3 gal.
WPB100M	MediumWeight Pads	15" x 19"	100	24.7 gal.
WPB50M	MediumWeight Pads	15" x 19"	50	12.4 gal.
WPB200S	LightWeight Pads	15" x 19"	200	31.1 gal.
WPB100S	LightWeight Pads	15" x 19"	100	15.6 gal.

White Oil-Only Rolls

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WRB150H	HeavyWeight Roll	30" x 150'	1	55.2 gal.
WRSB150H	HeavyWeight Split Rolls	15" x 150'	2	55.2 gal.
WRB150M	MediumWeight Roll	30" x 150'	1	46.1 gal.
WRSB150M	MediumWeight Split Rolls	15" x 150'	2	46.1 gal.
WRB300S	LightWeight Roll	30" x 300'	1	59.1 gal.

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), and 49 CFR 173.3 (c)(2). See page 91 for details.

COMMANDER

Durable FineFiber mat controls oil under machines and conveyors

Most Popular

Good for Foot Traffic

Strong Enough for Heavy Spills



Blue color option is great in snowy areas where pad placement needs to be traced.



Fluid:



For oils, not water.



Application:

- Under Machines and Conveyors
- Walkways



Absorbency:



Durability:






Features and Benefits

- Most popular mat used in industrial cleanup applications
- Use near machinery, in production areas and under assembly lines and conveyors
- 3-ply construction is strong and absorbent to take command of leaks and spills
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Two hi-viz color options — blue is great in snowy areas where pad placement needs to be traced
- Oil selective — repels water but absorbs oil and all oil-based fluids

COMMANDER Mat Construction

Two layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.



HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e) and 49CFR 173.3(c)(2). See page 91 for details.

COMMANDER™ Mat

White Oil-Only Pads

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPF100H	HeavyWeight Pads	15" x 19"	100	26.3 gal.
WPF1014H	HeavyWeight Pads	10" x 14"	100	18.1 gal.
WPF100H-BX	HeavyWeight Pads in Dispenser Box	15" x 19"	100	26.3 gal.
WPKF50H	HeavyWeight King Pads	30" x 30"	50	41.6 gal.
WPF100M	MediumWeight Pads	15" x 19"	100	20.8 gal.
WPF200S	LightWeight Pads	15" x 19"	200	28.1 gal.

White Oil-Only Rolls

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WRF150H	HeavyWeight Roll	30" x 150'	1	49.8 gal.
WRF100H-BX	HeavyWeight Roll in Dispenser Box	15" x 100'	1	19.3 gal.
WRSF150H	HeavyWeight Split Rolls	15" x 150'	2	49.8 gal.
WRF150M	MediumWeight Roll	30" x 150'	1	39.5 gal.

Blue Oil-Only Pads

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
BPF100H	HeavyWeight Pads	15" x 19"	100	26.3 gal.
BPF100H-BX	HeavyWeight Pads in Dispenser Box	15" x 19"	100	26.3 gal.
BPF200S	LightWeight Pads	15" x 19"	200	28.1 gal.

Blue Oil-Only Roll (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
BRF150H	HeavyWeight Roll	30" x 150'	1	49.8 gal.

PROTECTOR

Tough MultiLaminate mat stands up to punishing, oily applications

Durable for Rugged Applications
Great for Cleaning Oily Tools and Parts
Low-Lint



Fluid:



For oils,
not water.



Application:

- Oily Tools and Parts
- Demanding Environments



Absorbency:



Durability:






Features and Benefits


- Abrasion-resistant outer layers of SpunBond material are strong with low-lint benefits
- Mat is a great choice for lining tool benches, wiping down machinery or cleaning oily tools and parts
- Perfect for industrial applications in demanding environments where durability is most important
- In outdoor applications, the mat won't tear when pulled up from frozen ground
- Perforations allow you to tear pads and rolls into different sizes based on your application

PROTECTOR Mat Construction

High-loft MeltBlown sorbent is ultrasonically bonded between two layers of lint-free SpunBond fabric.



PROTECTOR Mat is low-linting, which makes it the perfect choice for lining tool benches or cleaning oily tools and parts.



PROTECTOR™ Mat

White Oil-Only Pads

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPL100H	HeavyWeight Pads	15" x 19"	100	28.9 gal.
WPL100M	MediumWeight Pads	15" x 19"	100	23.4 gal.

White Oil-Only Rolls

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WRL150H	HeavyWeight Roll	30" x 150'	1	54.9 gal.
WRSL150H	HeavyWeight Split Rolls	15" x 150'	2	54.9 gal.
WRL150M	MediumWeight Roll	30" x 150'	1	44.4 gal.
WRSL150M	MediumWeight Split Rolls	15" x 150'	2	44.4 gal.

Blue Oil-Only Pads

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
BPL100H	HeavyWeight Pads	15" x 19"	100	28.9 gal.

When working outdoors in cold temperatures, PROTECTOR Mat won't tear when you pull it up from frozen ground.



HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e) and 49 CFR 173.3(c)(2). See page 91 for details.



ARRESTOR

Specially treated to dissipate static and safely absorb volatile fuels and other petroleum-based liquids

- Use where static electricity is a problem or where vapors can ignite
- A safer alternative for cold applications, low humidity climates or dry environments
- Mat has many applications in aviation industry where jet fuel is present and the utility industry for electrical work
- Single-layer polypropylene absorbs fast for quick response
- Oil selective — repels water but absorbs oil and all oil-based fluids
- Packaged in blue static-dissipative bag for quick identification

WRX150H

WRSX150H

WPX50S

WPX100H

ARRESTOR™ Mat

White Static-Dissipative Pads (for oils, not water; deters static charges)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPX25H	HeavyWeight Pads	15" x 19"	25	8.4 gal.
NEW WPX50H	HeavyWeight Pads	15" x 19"	50	16.8 gal.
NEW WPX100H	HeavyWeight Pads	15" x 19"	100	33.6 gal.
WPX50S	LightWeight Pads	15" x 19"	50	8.9 gal.

White Static-Dissipative Rolls (for oils, not water; deters static charges)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WRX150H	HeavyWeight Roll	30" x 150'	1	63.4 gal.
NEW WRSX150H	HeavyWeight Rolls	15" x 150'	2	63.4 gal.

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.1450(e), and 29 CFR 1910.120(j)(1). See page 91 for details.

TRANSFORMER

Versatile mat that's a roll, a pad and a sock

- Perfed 3.75" vertically and 17" horizontally to tailor mat's dimensions to your applications
- 3-ply construction designed for walkways — tough SpunBond top, highly absorbent core and FineFiber bottom
- Packaged in a convenient dispenser box



TRANSFORMER™ Mat

White Oil-Only Pads (for oils, not water; deters static charges)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WRSMF100H-BX	HeavyWeight Roll in Dispenser Box	15" x 100'	1	18.9 gal.

HYC


Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.1450(e), 29 CFR 1910.107(g)(2), 29 CFR 1910.107(b)(3), 49 CFR 173.3 (c)(2) and 29 CFR 1910.120(j)(1). See page 91 for details.



DrumTop Pads

Eliminate messy drum tops with these Sorbent Oil-Only DrumTop Pads

- Absorb drips from leaking pumps and help keep drum storage areas looking clean
- Precut bung holes make for easy access to drum



DrumTop Pads

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
BTOP	Oil-Only DrumTop Pads	23" Dia.	25	8.6 gal.

Rig Mats

Save your sites costly cleanups by stopping the mess before it starts

- Ideal for service rigs, sucker rod maintenance, wellhead maintenance, cleaner drilling and clean compressor houses
- Perfect for outdoor use — mat provides quick, efficient cleanup to help protect the environment from contamination
- MeltBlown hydrophobic fibers repel water while only absorbing oils and other hydrocarbons
- Blue color-coding designates oil-only sorbency and fits into many professional surroundings
- Impenetrable, chemical-resistant poly backing prevents liquids from seeping through (PBRIG48H only)



PBRIG48H

RIG160H

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.1450(e), 29 CFR 1910.107(g)(2), 29 CFR 1910.107(b)(3) and 29 CFR 1910.120(j)(1). See page 91 for details.

Rig Mat Rolls


Item #	Description	Size	Units/Pkg	Absorbs/Pkg
RIG160H	HeavyWeight Roll	58" x 160'	1	176.2 gal.
PBRIG48H	HeavyWeight PolyBacked Roll	57" x 48'	1	51.9 gal.

TrackMat

Prevent ground contamination during railroad maintenance

- Economical choice for routine maintenance
- Clear impenetrable poly backing reveals saturation levels at a glance
- Heavy-duty SpunBond top layer adds strength and durability for long-term deployment in almost any weather conditions

TrackMat Construction



HYC


Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.22(a)(2) and 40 CFR 122.26. See page 91 for details.

RailRoad Mat

Provides sorbency and spill protection in rail-specific applications

- A tier of sorbent material is top-layered with needlepunched felt for strength, and then poly-backed with a chemical-resistant material
- Sealed edges prevent leaching and ground contamination

RailRoad Mat Construction



HYC

Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.22(a)(2) and 40 CFR 122.26. See page 91 for details.



TrackMat Rolls (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
TMAT57	HeavyWeight Roll	57" x 80'	1	63.2 gal.
TMAT19	HeavyWeight Split Rolls	19" x 80'	2	41.7 gal.



RailRoad Mat (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
RRMAT60	RailRoad Mat Roll	59" x 100'	1	63.0 gal.
RRMAT19	RailRoad Mat Rolls	19" x 100'	2	42.0 gal.

Oil-Only Socks


Oil-only socks absorb oils, repel water

- Soak up petroleum-based fluids quickly while repelling water
- Socks float for cleanup of waterborne hydrocarbons
- Flexible to conform around machine bases and offer a snug fit with no seepage
- Contain spills to keep fluids from spreading into larger areas and becoming slippery hazards
- White designates oil-only sorbency and makes it easy to identify when saturated



HYC

Helps you comply with 29 CFR 1910.120(j)(1), 40 CFR 112.7(c)(1), 40 CFR 263.30(a), and 40 CFR 263.31. See page 91 for details.



Oil-Only

WSO410

Oil-Only Socks (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WSO410	Oil-Only Socks	3" x 4'	10	8.33 gal.
WSO430	Oil-Only Socks	3" x 4'	30	25.0 gal.
WSO815	Oil-Only Socks	3" x 8'	15	25.0 gal.
WSO1210	Oil-Only Socks	3" x 12'	10	25.0 gal.

Oil-Only Pillows

Oil-only pillows are easy to place in hard-to-reach areas

- Absorb high-volume leaks and spills of oil and other petroleum-based liquids on land or water
- Use under machines and leaky hydraulic hoses or wedge in corners cramped for space
- Pulls liquids from the floor like a sock, catches leaks like a pan, and absorbs spills like a pad
- Large surface area speeds the absorption process and shortens the overall response time on land or water



HYC

Helps you comply with 29 CFR 1910.120(j)(1), 33 CFR 154.1047(c)(2), 40 CFR 112.7(c)(1), 40 CFR 263.30(a), 40 CFR 263.31 and 49 CFR 173.3(c)(2). See page 91 for details.

WPIL818



WPIL1818

Oil-Only Pillows (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPIL1818	Oil-Only Pillows	18" x 18"	10	23.0 gal.
WPIL818	Oil-Only Pillows	8" x 18"	20	23.0 gal.
WPIL1010	Oil-Only Pillows	10" x 10"	40	30.0 gal.

Oil-Only Pans

An economical solution to high-volume leaks and drips

- Each Oil-Only Pillow in a Pan absorbs and contains up to 3 quarts of oil or other oil-based liquid while actually repelling water
- Ideal choice for catching recurring or continuous high-volume leaks
- No preparation required — simply set it in place, and watch it go to work
- Use the high-capacity, low-profile Oil-Only Drip Pan under machines and leaky hydraulic hoses, or place one under any leak or drip that produces a high volume in a short time



HYC

Helps you comply with 29 CFR 1910.22(a)(2) and 49 CFR 173.3(c)(2). See page 91 for details.



WPIL1224

DPO-16

Pillow in a Pan & DripPans (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPIL1224	Oil-Only Pillow in a Pan	10.5" sq. x 3"H	12 pans & 24 pillows	18.0 gal.
DPO-16	Oil-Only DripPan	10.5" sq. x 3"H	16	12.0 gal.

BOOMS

Take control of outdoor spill response with Oil-Only booms

Highly Absorbent

Float Even When Saturated

Can Handle Most Any Size Spill






Sturdy, durable hardware links Socks/Net Booms together to handle large spills.

Features and Benefits

- Poly-blend filler repels water while only absorbing oils and other hydrocarbons
- Booms won't shed or sink, even when saturated with oil
- Nylon rope and sturdy hardware ensure long-lasting durability and easy retrieval
- Connectors link Sock/Net Booms together to create containment system big enough to handle almost any size spill
- Bilge Booms are sized to fit into bilges, engine compartments, sumps, tanks and more to absorb built-up pollutants



Poly-blend filler is highly absorbent, repelling water while absorbing oils and other hydrocarbons.

Oil-Only Pillows also available.
See page 15.

HYC

Helps you comply with 33 CFR 154.1047(c)(2), 40 CFR 112.7(c)(1), 40 CFR 122.26 and 40 CFR 263.31. See page 91 for details.

Oil-Only Booms (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WB410SN	Sock/Net Booms	4" x 10'	4	19.5 gal.
WB510SN	Sock/Net Booms	5" x 10'	4	30.0 gal.
WB520SN	Sock/Net Booms	5" x 20'	2	30.0 gal.
WB810SN	Sock/Net Booms	8" x 10'	4	38.0 gal.
WB820SN	Sock/Net Booms	8" x 20'	2	38.0 gal.
WBB318	Bilge Booms	3" x 18"	20	6.25 gal.
WBB818	Bilge Booms	8" x 18"	10	18.0 gal.



Use connectors to create containment systems big enough to handle almost any size spill.



PomPoms

- Heavy oils adhere but water is repelled so PomPoms won't become weighed down, allowing you to leave them in place longer for maximum effectiveness
- PomPoms float on the water's surface to absorb oily spills and even surface sheen

PomPoms (for oils, not water)

Item #	Description	Absorbs/Pkg	Qty/Pkg
APMPM	PomPoms/30 individual	11.6 gal.	30
APMPM-R	PomPoms/30 on 50' rope	11.6 gal.	1



Net Bags

- Loose poly-blend filler encased in a nylon mesh bag
- Net Bags absorb oily spills and even surface sheen on water
- Floats for easy retrieval — even when saturated



Net Bags (for oils, not water)

Item #	Description	Size	Absorbs/Pkg	Qty/Pkg
WPIL10	Net Bags	16.5" x 20.5" x 31"	37.0 gal.	10



Folded Sweep

- Attach a Folded Sweep to your sorbent boom for maximum on-the-water cleanup
- Floats on water to absorb oily spills and even surface sheen
- Sturdy webbing and hardware for easy deployment and retrieval

PROTECTOR™ Folded Sweep (for oils, not water)

Item #	Description	Size	Absorbs/Pkg	Qty/Pkg
WSWL100F	Folded Sweep	19"W x 100'L	25.3 gal.	1



Loose PeatMoss

- **PEAT2** is made of biodegradable peat moss, which has a natural affinity for oils and will not absorb water; incinerable

Loose Sorbents (for oils, not water)

Item #	Description	Size	Absorbs/Pkg	Qty/Pallet
PEAT2*	Loose PeatMoss	2 cu. ft.	16.0 gal.	54

*Sold only in pallet quantities.

Containment Boom and Anchor System

Non-absorbent boom contains spills above and below water; anchor system keeps in place for optimum containment

- Quickly contain spills and debris in water
- Boom floats to keep oil from spreading into or out of a contained area; skirt hangs below the surface to help prevent spills from creeping underneath
- Ballast chain adds weight to help keep skirt taut
- Ideal in water intakes, channels, API separators, ponds, lakes, streams, marinas, canals, ditches and other shallow areas



Comes pre-assembled for quick and easy deployment.

C-ANCHOR2

HYC


Helps you comply with 33 CFR 154.1047(c)(2), 40 CFR 112.7(c)(1). (Applies to C-BOOM only.) See page 91 for details

Containment Booms and Anchor System

Item #	Description	Size	Units/Pkg
C-BOOM10-50	Containment Boom	50'L x 10"H (4" float, 6" skirt)	1
C-BOOM10-100	Containment Boom	100'L x 10"H (4" float, 6" skirt)	1
C-BOOM18-50	Containment Boom	50'L x 18"H (6" float, 12" skirt)	1
C-BOOM18-100	Containment Boom	100'L x 18"H (6" float, 12" skirt)	1
C-BOOM24-50	Containment Boom	50'L x 24"H (8" float, 16" skirt)	1
C-BOOM24-100	Containment Boom	100'L x 24"H (8" float, 16" skirt)	1
C-ANCHOR2	Containment Boom Anchor System	88 lb. anchor system	1


*Final product may be yellow or orange based on availability at time of order.

Oil-Only Specialty




C-BOOM10

Lightweight, light-duty boom is ideal in shallow areas with minimal flow.




C-BOOM18

Versatile, medium-duty boom is ideal in areas with moderate to choppy flow.



C-BOOM24

Rugged, heavy-duty boom is ideal in areas with fast, choppy flow.



Segmented float lets you fold Containment Boom for compact storage and easy transportation.

RESPONDER

Economical MeltBlown mat absorbs a variety of liquids and is strong enough for everyday use

Perfect for General Applications

Economical

Highly Absorbent



Fluid:



For oils, coolants, solvents & water.



Application:

- General Applications
- Economical



Absorbency:



Durability:





Features and Benefits

- Most economical pads and rolls for general cleanup applications
- Universal absorbency — used for both oil- and water-based liquids
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Dimples add fast-wicking power
- HighLoft weight gives you additional price point between medium- and lightweight pads and rolls

RESPONDER Mat Construction

Single layer of MeltBlown polypropylene



Dimples in RESPONDER Mat add fast-wicking power to this highly absorbent mat.



RESPONDER™ Mat

Gray Universal Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPB100GL	HighLoft Pads	15" x 18"	100	19.5 gal.

Gray Universal Roll (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GRB150G	HighLoft Roll	30" x 150'	1	39.8 gal.

Great for general cleanup applications with perforations that allow you to select different sizes based on your application.



What is HighLoft?

HighLoft is sturdy and soft but has a higher loft than standard mats for greater economy without compromising sorbency. It falls between SingleWeight and MediumWeight — able to take in 30 times its own weight in liquids!

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 29 CFR 1910.107(b)(3), and 29 CFR 1910.107(g)(2). See page 91 for details.

DEFENDER

General-Purpose SonicBonded mat for overspray and everyday use

Everyday Use

Absorbs on Contact

Perforated for Your Needs



Fluid:



For oils, coolants, solvents & water.



Application:

- Overspray and Spills
- General Use



Absorbency:



Durability:






Universal

Features and Benefits

- Abrasion-resistant top layer gives pads and rolls strength for everyday cleanup jobs
- Perfect for medium-duty industrial, maintenance and general applications
- Quickly absorbs leaks, spills and overspray to keep floors dry
- Perforations allow you to tear pads and rolls into different sizes based on your application
- Universal absorbency means one product for multiple liquids

DEFENDER Mat Construction

One layer of SpunBond fabric is ultrasonically bonded to one layer of MeltBlown sorbent.



Fast-acting DEFENDER Mat starts absorbing on contact. It's the best choice for overspray and soaking up spills.



DEFENDER™ Mat

Gray Universal Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPB100H	HeavyWeight Pads	15" x 19"	100	29.1 gal.
GPB50H	HeavyWeight Pads	15" x 19"	50	14.6 gal.
GPKB50H	HeavyWeight King Pads	30" x 30"	50	45.3 gal.
GPB100M	MediumWeight Pads	15" x 19"	100	24.7 gal.
GPB200S	LightWeight Pads	15" x 19"	200	31.1 gal.
GPB100S	LightWeight Pads	15" x 19"	100	15.6 gal.

Gray Universal Rolls (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GRB150H	HeavyWeight Roll	30" x 150'	1	55.2 gal.
GRSB150H	HeavyWeight Split Rolls	15" x 150'	2	55.2 gal.
GRB150M	MediumWeight Roll	30" x 150'	1	46.1 gal.
GRB300S	LightWeight Roll	30" x 300'	1	59.1 gal.

HYC

Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), and 49 CFR 173.3 (c)(2). See page 91 for details.

COMMANDER

Durable FineFiber mat performs all around the workplace

Most Popular

Good for Foot Traffic

Strong Enough for Heavy Spills



Sturdy 3-ply construction gives COMMANDER Mat durability and absorbing power for longer wear and fewer changeouts.



Fluid:



For oils, coolants, solvents & water.



Application:

- Moderate Foot Traffic
- All-Around Performer




Absorbency:



Durability:





Universal

Features and Benefits

- Most versatile mat used in industries with wet processes
- Best used around machinery, in production areas and under assembly lines and conveyors
- 3-ply construction is strong and absorbent to take command of leaks and spills

COMMANDER™ Mat

Gray Universal Pads (for oils, coolants, solvents & water)


Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPF100H	HeavyWeight Pads	15" x 19"	100	26.3 gal.
GPF1014H	HeavyWeight Pads	10" x 14"	100	18.1 gal.
GPF100H-BX	HeavyWeight Pads in Dispenser Box	15" x 19"	100	26.3 gal.
GPKF50H	HeavyWeight King Pads	30" x 30"	50	41.6 gal.
GPF100M	MediumWeight Pads	15" x 19"	100	20.8 gal.
GPF200S	LightWeight Pads	15" x 19"	200	28.1 gal.

Gray Universal Rolls (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GRF150H	HeavyWeight Roll	30" x 150'	1	49.8 gal.
GRF24150H	HeavyWeight Roll	24" x 150'	1	39.8 gal.
GRF100H-BX	HeavyWeight Roll in Dispenser Box	15" x 100'	1	19.3 gal.
GRSF150H	HeavyWeight Split Rolls	15" x 150'	2	49.8 gal.
GRFF50H	HeavyWeight Folded Roll in Dispenser Box	5" x 50'	1	8.4 gal.
GRF150M	MediumWeight Roll	30" x 150'	1	39.5 gal.
GRSF150M	MediumWeight Split Rolls	15" x 150'	2	39.5 gal.
GRF300S	LightWeight Roll	30" x 300'	1	53.4 gal.
GRSF300S	LightWeight Split Rolls	15" x 300'	2	53.4 gal.

COMMANDER Mat Construction

Two layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.



Green Universal Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GNPF100H	HeavyWeight Pads	15" x 19"	100	26.3 gal.
GNPF100H-BX	HeavyWeight Pads in Dispenser Box	15" x 19"	100	26.3 gal.
GNPF100M	MediumWeight Pads	15" x 19"	100	20.8 gal.

Green Universal Rolls (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GNRF150H	HeavyWeight Roll	30" x 150'	1	49.8 gal.
GNRSF150H	HeavyWeight Split Rolls	15" x 150'	2	49.8 gal.

Drip, Rip and Go™ Tablet

Gray Universal Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPF20S	LightWeight Pads	15" x 19"	20 pads/tablet 9 tablets/pkg	25.2 gal.

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e) and 49CFR 173.3(c)(2). See page 91 for details.