


PROTECTOR

Tough MultiLaminate mat stands up to punishing applications

Durable for Rugged Applications

Great for Cleaning Oily Tools and Parts

Low-Lint



Fluid:



For oils, coolants, solvents & water.

Application:

- Demanding Environments - Low Linting Absorbency:



Durability:







- Abrasion-resistant outer layers of SpunBond material add durability for long life
- Low-linting mat is a great choice for lining tool benches, wiping down machinery or cleaning oily tools and parts
- Perfect for industrial applications in demanding environments where durability is most important
- Perforations allow you to tear pads and rolls into different sizes based on your application

PROTECTOR Mat Construction

MeltBlown sorbent is ultrasonically bonded between two layers of lint-free SpunBond fabric.



Great for use in rugged applications near machinery.



PROTECTOR™ Mat

Gray Universal Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPL100H	HeavyWeight Pads	15" x 19"	100	28.9 gal.
GPL100M	MediumWeight Pads	15" x 19"	100	23.4 gal.

Gray Universal Rolls (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GRL150H	HeavyWeight Roll	30" x 150'	1	54.9 gal.
GRSL150H	HeavyWeight Split Rolls	15" x 150'	2	54.9 gal.
GRL150M	MediumWeight Roll	30" x 150'	1	44.4 gal.
GRSL150M	MediumWeight Split Rolls	15" x 150'	2	44.4 gal.

Use low-linting PROTECTOR Mat as a liner for oily parts and tools.





Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e) and 49 CFR 173.3(c)(2). See page 91 for details.



SURVIVOR

The absorbency of a mat and the durability of a rug — hides the grunge to stay on the job longer

Most Durable

Great for Walkways

Makes Leaks and Drips Disappear



Fluid:



For oils, coolants, solvents & water. Application:

Overspray and SpillsLong-Lasting Performance

Absorbency:



Durability:






SVRS150H-1

- Camouflage pattern makes leaks and drips disappear
- Five-star durability withstands foot traffic in production areas, near machines and in walkways
- Innovative 3-ply construction combines our toughest SpunBond top layer, highly absorbent core and a bottom layer designed to grip floors
- Perforations allow you to tear pads and rolls into different sizes based on your application

SURVIVOR Mat Construction

Top SpunBond and bottom FineFiber layers of polypropylene are ultrasonically bonded ground a MeltBlown core.



SURVIVOR Mat's camo pattern hides drips, making it perfect for lining shelves — use less and save money!



SURVIVOR™ Mat

Gray Universal Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
SVP100H	HeavyWeight Pads	15" x 19"	100	17.9 gal.

Gray Universal Rolls (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
SVR150H	HeavyWeight Roll	30" x 150'	1	35.8 gal.
SVRS150H-1	HeavyWeight Roll	15" x 150'	1	17.9 gal.
SVRS150H-2	HeavyWeight Split Rolls	15" x 150'	2	35.8 gal.



Use SURVIVOR Mat for excellent performance in foot traffic and production areas, near machines and in walkways.



Helps you comply with 29 CFR 1910.107(g)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 49 CFR 173.3 (c)(2). See page 91 for details.



- High absorbency for everyday applications
- Absorbs oils, coolants, solvents and water, but not recommended for acids, bases or other corrosive liquids

Universal EcoTech[™] Mat

Gray Universal Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
UCP100HW	HeavyWeight Pads	15" x 19"	100	30.2 gal.
UCP100LW	LightWeight Pads	15" x 19"	100	21.2 gal.


Gray Universal Rolls (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
UCR150HW	HeavyWeight Roll	30" x 150'	1	57.2 gal.
UCR150LW	LightWeight Roll	30" x 150'	1	40.0 gal.



Helps you comply with 29 CFR 1910.22(a)(2) . See page 91 for details.







Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(g)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 49 CFR 173.3 (c)(2). See page 91 for details.

TRANSFORMER

Versatile mat is a roll, a pad and a sock

- Perfed 3.75" vertically and 17" horizontally to tailor the mat to your application
- Durable, 3-layer construction keeps the mat on the job longer
- Packaged in a convenient dispenser box



TRANFORMER™ Mat

Gray Universal Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GRSMF100H-BX	HeavyWeight Roll in Dispenser Box	15" x 100'	1	18.9 gal.

DrumTop Pads


Say goodbye to messy drum tops

- Absorb drips from leaking pumps to help keep drum storage areas looking good
- Precut bung holes make for easy access to drum
- Pads can be removed and replaced with pumps and valves installed
- Grunge-hiding gray signifies universal sorbency for oils, coolants, solvents and water
- Made from top-quality COMMANDER Mat



DrumTop Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GTOP	HeavyWeight Pads	22" dia.	25	8.6 gal.





PolyBacked Universal COMMANDER

Added protection for your floors

- Impenetrable, chemical-resistant poly backing keeps floors liquid- and stain-free
- 3-ply construction resists wear and tear
- COMMANDER layers quickly soak up liquids before they can spread






Helps you comply with 29 CFR 1910.22(a)(2). See page 91 for details.

PolyBacked Universal COMMANDER™ Mat Pads and Roll (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
PBGPF50H	HeavyWeight Pads	15" x 19"	50	8.1 gal.
PBGRF100H	HeavyWeight Roll	30" x 100'	1	18.0 gal.



TUFF Rug

Tough StitchBonded mat handles heavy wear and foot traffic

- Strongest mat stands up to heavy abuse leave down much longer than regular mat and save money
- Place in busy aisles, walkways and workstations where slippery floors are a concern
- Zigzag stitching adds extra strength so mat won't fray or come apart
- Absorbent polypropylene fibers pull in liquids to keep floors dry
- Absorbs most common industrial liquids: oils, coolants, solvents and water



Helps you comply with29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2) and 29 CFR 1910.22(a)(2). See page 91 for details.

$\pmb{TUFF} \; \pmb{Rug}^{\text{\tiny TM}} \; \text{(for oils, coolants, solvents \& water)}$

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
MR2069	HeavyWeight Mat Roll	33" x 150'	1	23.0 gal.





Traffic TUFF Rug

Super-durable Needlepunch mat even stands up to equipment traffic

- · Absorbs light fluids and overspray to keep walkways safe and slip-resistant
- Tough enough to withstand even heavy equipment traffic
- Ideal for lining walkways, replacing rental rugs, and stopping dirt and debris from tracking into clean areas
- Gray color signifies universal sorbency; hides grunge so it stays down longer and saves you money
- PolyBacking gives mat non-skid characteristics (PBR100 only)



Helps you comply with 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2) and 29 CFR 1910.22(a)(2). See page 91

Traffic TUFF Rug[™] (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NPR150H-GR	HeavyWeight Roll	36" x 150'	1	54.0 gal.
NPR300S-GR	LightWeight Roll	36" x 300'	1	54.0 gal.
PBR100	PolyBacked Roll	36" x 100'	1	13.0 gal.



Recycled TUFF Rug

Highly absorbent recycled-fiber mat has walk-on durability

- Recycled polypropylene and acrylic fibers absorb up to 84.6 gallons per roll
- High tensile strength stands up to jobs with steady foot traffic
- Dark, multicolored mat looks cleaner longer as fluids are absorbed





Helps you comply with 29 CFR 1910.107(b)(3), 429 CFR 1910.107(g)(2) and 29 CFR 1910.22(a)(2). See page 91



Recycled TUFF Rug[™] (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
RRUG36H	HeavyWeight Roll	36" x 150'	1	84.6 gal.
RRUG18H	HeavyWeight Split Rolls	18" x 150'	2	84.6 gal.
RRUGP100H	RagRug Pads	18" x 18"	100	38.9 gal.





CornCob Socks

An affordable alternative to messy clay

- Economical and highly efficient for even the toughest jobs
- Absorb ½ gallon of oil, coolants, solvents and water nearly twice as much as clay, but without the dust or the mess to clean up afterward; incinerable
- Ideal for surrounding spilled fluids or wrapping around leaky machines
- USDA BioPreferred approved



CornCob Socks (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
CCS040	CornCob Socks	3" x 42"	40	20.0 gal.



Cellulose Socks

Soak up more than one gallon for every four feet

- A single 4' sock can absorb more than a gallon of oils, coolants, solvents or water, making it a true top performer
- Very flexible to conform around machine bases and offers a snug fit with no seepage
- Easy and convenient to put into place



Cellulose Socks (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GCS0430	Cellulose Socks	3" x 4'	30	34.0 gal.
GCS0815	Cellulose Socks	3" x 8'	15	34.0 gal.
GCS01210	Cellulose Socks	3" x 12'	10	34.0 gal.

Universal Sock/Net Boom

Fast, efficient response for large spills

- Just one of these high-capacity booms can contain and soak up 5.8 gallons of oils, coolants, solvents or water
- Booms won't shed, even when saturated
- A nylon rope and sturdy hardware ensure long-lasting durability and easy retrieval
- Use boom connectors to create a containment system big enough to handle almost any size spill

SpillTech

Universal Sock/Net Boom (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GB510SN	Universal Booms	5" x 10'	4	23.3 gal.

Universal Pillows

Absorb high-volume leaks and spills of oils, coolants, solvents or water

- Easy to place in hard-to-reach areas use under machines and leaky hydraulic hoses or wedge in corners cramped for space
- Pulls liquids from the floor like a sock, catches leaks like a pan, and absorbs spills like a pad
- Large surface area speeds the absorption process and shortens overall response time

Universal Pillows (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPIL1818	Universal Pillows	18" x 18"	10	23.0 gal.
GPIL818	Universal Pillows	8" x 18"	20	23.0 gal.
GPIL1010	Universal Pillows	10" x 10"	40	30.0 gal.




Universal Pans

Economical solution to high-volume leaks and drips

- Easy to place in hard-to-reach areas use under machines and leaky hydraulic hoses
- GPIL1224 Universal Pillow absorbs up to 3 quarts of oils, coolants, solvents or water
- **DPU-16** High-capacity, low-profile Universal DripPan is perfect for heavy leak areas and tight spaces

Universal Pans (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPIL1224	Universal Pillow in a Pan	10.5"sq. x 3"H	12 pans & 24 pillows	18.0 gal.
DPU-16	Universal DripPans	10.5"sq. x 3"H	16	16.0 gal.







Gran-sorb Loose Sorbent

Loose Cellulose Absorbent soaks up oils, coolants, solvents, water, fuels and antifreeze

- Paper waste is completely safe, non-toxic and non-hazardous
- · Absorbs its own weight in liquid
- · Great alternative to clay



Gran-sorb® Loose Sorbent (for oils, coolants, solvents & water)

Item #	Description	Size	Oty/Pallet	Absorbs/Pkg
CELL30	Gran-sorb® Loose Sorbent	30-lb. Bag	65	4.0 gal.

Loose CornCob

Great all-purpose sorbent soaks up a variety of fluids

- Takes in oils, coolants, solvents and water
- Made from all-natural coarse corncob
- Much lighter than clay





Loose CornCob (for oils, coolants, solvents & water)

Item #	Description	Size	Qty/Pallet	Absorbs/Pkg
C0B40	Loose CornCob	40-lb. Bag	50	8.5 gal.

Lite-Zorb Loose Sorbent

Recycled paper waste absorbs five times as much as clay, without the dust

- · Fast wicking, nonabrasive and nontoxic
- · Great for efficient, fast leak and spill response



Lite-Zorb Loose Sorbent (for oils, coolants, solvents & water)

Item #	Description	Size	Qty/Pallet	Absorbs/Pkg
MR1020	Lite-Zorb Loose Sorbent	25-lb. Bag	80	5.4 gal.

SuperSorb **Loose Sorbent**

Instantly soak up liquids to leave surfaces totally dry

• Concentrated formula absorbs 10 to 12 times more than clay





Sorbent

Fluidloc

Solidify bodily fluids for safer, easier cleanup

- Sorbent for biohazards like blood, vomit and urine
- FL12 absorbs a whopping 780 gal./ package




SuperSorb Loose Sorbent (for oils, coolants, solvents & water)

Item #	Description	Size	Qty/Pallet	Absorbs/Pkg
SS1	SuperSorb Loose Sorbent	28-oz. Shakers	720	.6 gal.
SS12	SuperSorb Loose Sorbent	(12) 28-oz. Shakers	60	7.0 gal.
SS5	SuperSorbent Loose Sorbent	5-gal. Pail	60	6.0 gal.

Fluidloc[™] Sorbent (for oils, coolants, solvents & water)

Item #	Description	Size	Qty/Pallet	Absorbs/Pkg
NEW FL1	Fluidloc™ Sorbent	36-oz. Shaker	720	65.0 gal.
NEW FL12	Fluidloc [™] Sorbent	36-oz. Shakers	60	780.0 gal.




WaterWick

Maintain peak performance and prevent engine failure with WaterWick sorbent in your fuel tank

- Helps preserve engine life and prevent frozen lines by removing water from fuel stores
- Minimizes filter-clogging rust and algae
- Pulls in water but repels gas and diesel fuel
- Tough nylon line for easy deployment and retrieval



Ballast forces the WaterWick to the bottom of your fuel tank and the highly absorbent filler pulls in water while repelling gas and diesel fuel.



WaterWick

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WW10	WaterWick	1"Dia. x 9"L	1	3 oz.
WW15	WaterWick	1.5"Dia. x 12"L	1	8 oz.
WW20	WaterWick	2"Dia. x 12"L	1	12 oz.
WW35	WaterWick	3.5"Dia. x 12"L	1	36 oz.



DEFENDER


Economic choice for quick, efficient response to spills of hazardous or unknown liquids

Absorbs Acids, Bases and Unknown Liquids

Color-Coded for Quick Identification

Highly Absorbent






- Economical mat for aggressive chemical spills or unknown liquids
- 100% polypropylene mat is chemically compatible with most liquids
- Color-coded in cautionary yellow for quick identification
- Use for spill cleanup in university and research labs, hospitals, chemical or pharmaceutical plants and other facilities that use hazardous liquids

DEFENDER Mat ConstructionOne layer of SpunBond fabric is ultrasonically

One layer of SpunBond fabric is ultrasonically bonded to one layer of MeltBlown sorbent.





DEFENDER Mat absorbs caustic, hazardous or unknown liquids quickly and efficiently, before they spread.

HazMat DEFENDER™ Mat

Yellow SonicBonded Mat Pads (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YPB100H	HeavyWeight Pads	15" x 19"	100	29.1 gal.
YPB50H	HeavyWeight Pads	15" x 19"	50	14.6 gal.
YPB100M	MediumWeight Pads	15" x 19"	100	24.7 gal.
YPB50M	MediumWeight Pads	15" x 19"	50	12.4 gal.
YPB200S	LightWeight Pads	15" x 19"	200	31.1 gal.
YPB100S	LightWeight Pads	15" x 19"	100	15.5 gal.

Yellow SonicBonded Mat Rolls (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YRB150H	HeavyWeight Roll	30" x 150'	1	55.2 gal.
YRSB150H	HeavyWeight Split Rolls	15" x 150'	2	55.2 gal.
YRB150M	MediumWeight Roll	30" x 150'	1	46.1 gal.



Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.31, and 49 CFR 173.3(c)(2). See page 91 for details.



COMMANDER


Durable, quick and efficient response to spills of hazardous or unknown liquids

Absorbs Acids, Bases and Unknown Liquids

High Durability and Low Lint

Color-Coded for Quick Identification





- 3-ply construction won't fall apart when responding to spill emergencies
- Used most often for aggressive liquid control in chemical or pharmaceutical plants
- Color-coded in cautionary yellow for quick identification
- 100% polypropylene mat is chemically compatible to most liquids
- Perforations allow you to tear pads and rolls into different sizes based on your application

COMMANDER Mat Construction Two layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core. FineFiber FineFiber



Ultrasonically bonded "dimples" on the COMMANDER Mat give it fast-wicking power.

HazMat COMMANDER™ Mat

Yellow SonicBonded Mat Pads (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YPF100H	HeavyWeight Pads	15" x 19"	100	26.3 gal.
YPF1014H	HeavyWeight Pads	10" x 14"	100	18.1 gal.

Yellow SonicBonded Mat Rolls (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YRF150H	HeavyWeight Roll	30" x 150'	1	49.8 gal.
YRSF150H	HeavyWeight Split Rolls	15" x 150'	2	49.8 gal.



Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.31, and 49 CFR 173.3(c)(2). See page 91 for details.



HazMat Socks

Keep fluids from spreading to larger areas

- Contain and absorb hazardous or unknown spills
- Fits snugly around the bases of leaky drums and containers
- Color-coded cautionary yellow for fast identification

HazMat Poly Blend Socks (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YS0410	HazMat Socks	3" x 4'	10	8.33 gal.
YS0430	HazMat Socks	3" x 4'	30	25.0 gal.
YS0815	HazMat Socks	3" x 8'	15	25.0 gal.
YS01210	HazMat Socks	3" x 12'	10	25.0 gal.



YS0410



HazMat Sock/Net Booms

Contain and absorb large-volume spills

- Strong mesh outer sleeve encases a poly sock skin filled with a highly sorbent poly blend that won't shed
- Color-coded in hi-viz yellow for quick identification
- Durable, easy-to-use connectors link Sock/Net Booms together to create a containment system big enough to handle almost any size spill
- A nylon rope and sturdy hardware ensure durability and easy retrieval

HazMat Sock/Net Booms (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg	
HZ510SN	HazMat Booms	5" x 10'	4	23.3 gal.	_
HZ810SN	HazMat Booms	8" x 10'	4	33.9 gal.	_



HazMat Pillows

Easy to deploy, quick to absorb

- Able to hold over a gallon of liquid each
- Surface area and sizable amount of sorbent filler lets you attack large spills with speed and efficiency
- Pulls liquids from the floor like a sock, catches leaks like a pan and absorbs spills like a pad
- Color-coded in cautionary yellow for quick identification

HazMat Poly Blend Pillows (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YPIL818	HazMat Pillows	8" x 18"	20	26.8 gal.
YPIL1818	HazMat Pillows	18" x 18"	10	29.1 gal.







Acid Neutralizing Sorbent

Changes color when absorbed acids have been neutralized and are safe to clean up

• Visible color change signifies complete neutralization of acids

 Handy 2-pound shaker makes it easy to transport and dispense sorbent

• Absorbs and solidifies liquids

• Environmentally friendly

NOTE: Not for use with hydrofluoric acid





Helps you comply with 29 CFR 1910.22(a)(2). See page 91 for details.

Acid Neutralizing Sorbent (for acids, bases & unknown liquids)

Item #	Description	Size	Qty/Pkg	Absorbs/Pkg
ANS1	Acid Neutralizing Sorbent	2-lb. Shaker	1	.2 gal.
ANS12	Acid Neutralizing Sorbent	2-lb. Shaker	12	2.4 gal.
ANS5	Acid Neutralizing Sorbent	5-gal. Pail	1	2.5 gal.

Universal Neutralizing Sorbent

Neutralizes, solidifies and indicates safe pH in one easy step

- Universal Neutralizing Sorbent (UNS) is the most efficient method to clean up battery acids and bases — even hydrofluoric acid (HF)!
- pH color indicator shows when a safe pH has been achieved
- Solidifiers totally encapsulate the liquids preventing further mitigation or reacting with other liquids

 Buffered formula prevents "overdosing" to another hazardous pH level

 Non-toxic to humans, animals, marine and plant life

 Amphoteric molecules power UNS to neutralize everything



Universal Neutralizing Sorbent (UNS)

Item #	Description	Size	Absorbs/Pkg	Qty/Pkg
NEW UNS1	Universal Neutralizing Sorbent	3-lb. Shaker	.75 gal.	1
NEW UNS4	Universal Neutralizing Sorbent	3-lb. Shaker	up to 3 gal.	4







Sorbent Mat Wringer

Wringer reclaims up to 90% of absorbed fluid

- All-steel, rustproof frame is virtually indestructible
- Adjustable screws balance pressure over the length of the roller

Sorbent Mat Wringer

Item #	Description	Size	Units/Pkg
A-WRINGER	Sorbent Mat Wringer	15"W x 12"H	1



Pad Box

Slash shipping costs and protect your sorbents while in transit

- Cardboard Pad Box perfectly fits one bale of pads to both protect your sorbents and eliminate any shipping concerns
- Ships in broken-down format to your location for convenience and compact storage

Pad Box

Item #	Description	Size	Units/Pkg
A-PADBOX	Pad Box	15.5"L x 19.25"W x 16"H	1





Free-standing metal frame adjusts to accept a wide variety of rolls

Free-Standing RollRack

Dispense rolls the convenient way with this adjustable holder

- Folds for storage; locks open for easy moving
- Adjusts from 16", to save space, up to 33" to accommodate larger rolls

Free-Standing RollRack

Item #	Description	Size	Units/Pkg
A-ROLLRACK2	Free-Standing RollRack	For rolls up to 32"W	1



Vertical RollRack

Move vertical mat rolls with ease

- Swivel-wheel casters allow free movement in any direction with no tipping
- Steel construction features a top handle for easy maneuvering
- Made for rolls up to 36 inches wide

Vertical RollRack

Item #	Description	Size	Units/Pkg
NEW A-VRACK	Vertical RollRack	For rolls up to 36"W	1

SPKU-65

SPKU-WCAB



Spill Kits for Quick Response

The right products for quick response to any spill, anywhere

Spills happen no matter how hard you try to avoid them. Forklifts knock over drums, tanks are punctured and transporters leak and drip. A quick response is your best weapon in the fight against spills.

Whether you need to clean up a dangerous chemical spill or eliminate a slip-and-fall hazard, you'll be prepared with SpillTech Spill Kits. Over the next seven pages, you'll find a wide range of Spill Kits and accessories to meet your needs. These quality SpillTech products will help you comply with the regulations below. If you don't see what you're looking for, page 53 explains how we can customize a kit to your exact specifications.



Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), *33 CFR 154.1047(c)(2), 40 CFR 263.30 (A), 40 CFR 263.31 and 49 CFR 173.3(c)(1). See page 91 for details.

See all spill kits on the next 7 pages.

SPKU-BLK-BG

SPKO-FLEET

SPKHZ-KAD2

^{*} Applies to Oil-Only Spill Kits only