# Goggles US











Top Shelf Chemical Splash Goggle

Part Lens G304 • • • Clear

G304T • • • • Clear H2X Anti-Fog

G304TN•• Clear H2X Anti-Fog with Neoprene Strap

- · Body tinted to reduce glare.
- · Special one-way vent allows air to enter while keeping liquids out.
- Top shelf chemical splash goggle features generously sized heavy duty body and lens.
- · Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.



Top Shelf Chemical Splash Goggle with Foam Padding

Part Lens G404T .. Clear H2X Anti-Fog

- · Body tinted to reduce glare.
- · Breakaway headband provides added protection and features quick fit retainer.
- Top shelf chemical splash goggle features generously sized heavy duty body and lens with foam padding for comfort.
- · Special one-way vent allows air to enter while keeping liquids out.
- · Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.



Low Profile Chemical Splash Goggle

Part G704T • • Clear Anti-Fog

- · Low profile, modern sport design with anti-glare frame.
- · Indirect vent provides chemical splash protection.
- Adjustable elastic band and soft PVC frame.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.



Low Profile Chemical Splash Goggle

Part Lens G724T• Gray Anti-Fog

- · Low profile, modern sport design with anti-glare frame.
- · Indirect vent provides chemical splash protection.
- · Adjustable elastic band and soft PVC frame.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.

# Readers (IS) (IE) (ISA) (H2X) PMXTREME® Readers

6/box 150/case

Available in 3 Magnifying Strengths



- · Built-in rubber nose piece.
- · Rubber temple tips.
- · Lens insert is out of user's direct line of vision.
- · Ventilated, straight-back flexible temples.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.
- Includes black lanyard cord.

#### **Black Frame with Cord**

Part	Lens	Mag Strength
SB6310SPR15.	Clear	+1.5
SB6310SPR20•	Clear	+2.0
SB6310SPR25•	Clear	+2.5

## **PMXTREME LED Readers**

6/box 150/case

Available in 3 Magnifying Strengths



#### Black Frame with built-in LED Temples

Part	Lens	Mag Strength
SB6310STPLEDR15.	Clear Anti-Fog	+1.5
SB6310STPLEDR20•	Clear Anti-Fog	+2.0
SB6310STPLEDR25.	Clear Anti-Fog	+2.5

### **V2G® Readers**

6/box 72/case

Available in 3 Magnifying Strengths



- · Flame resistant foam padding.
- · Lens and frame vented to increase air flow.
- · Lens insert is out of user's direct line of vision.
- · Interchangeable temples and headband included.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.
- Headband and temples feature ratchet adjustment for perfect fit, features quick fit retainer.

#### Black Frame with Interchangeable Strap and Temples

Part	Lens	Mag Strength
GB1810STR15•••	Clear H2X Anti-Fog	+1.5
GB1810STR20•••	Clear H2X Anti-Fog	+2.0
GB1810STR25•••	Clear H2X Anti-Fog	+2.5

## **XSG®** Readers

6/box 72/case

Available in 3 Magnifying Strengths



- · Lenses are treated to prevent fogging.
- · Lens insert is out of user's direct line of vision.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.

#### Black Frame with Interchangeable Strap and Temples

Part	Lens	Mag Strength
GB4010STR15 •••	Clear H2X Anti-Fog	+1.5
GB4010STR20 •••	Clear H2X Anti-Fog	+2.0
GB4010STR25 •••	Clear H2X Anti-Fog	+2.5

### Readers US CE CSA 294.507







# Venture II® Readers Available in 4 Lens Colors | 5 Magnifying Strengths

6/box 150/case



- · Lens insert is out of user's direct line of vision.
- · Soft nose buds.
- · Temples adjust to four different lengths.
- 9.75 base curve.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.

#### **Black Frame**

Part	Lens	Mag Strength
SB1810R10•••	Clear	+1.0
SB1810R15•••	Clear	+1.5
SB1810R15T•••	Clear H2X Anti-Fog	+1.5
SB1810R20•••	Clear	+2.0
SB1810R20T • • •	Clear H2X Anti-Fog	+2.0
SB1810R25•••	Clear	+2.5
SB1810R25T • • •	Clear H2X Anti-Fog	+2.5
SB1810R30•••	Clear	+3.0
SB1820R15••	Gray	+1.5
SB1820R20••	Gray	+2.0
SB1820R25 • •	Gray	+2.5
SB1820R30••	Gray	+3.0
SB1830R15•	Amber	+1.5
SB1830R20•	Amber	+2.0
SB1830R25•	Amber	+2.5
SB1880R15.	Indoor/Outdoor Mirror	+1.5
SB1880R20 • •	Indoor/Outdoor Mirror	+2.0
SB1880R25••	Indoor/Outdoor Mirror	+2.5

# Ztek® Readers 6/box 150/case Available in 3 Lens Colors | 3 Magnifying Strengths



- · Wrap around single lens
- · Lens insert is out of user's direct line of vision.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.

#### **Black Temples**

Part	Lens	Mag Strength
S2510R15•••	Clear	+1.5
\$2510R20•••	Clear	+2.0
\$2510R25•••	Clear	+2.5
S2514R15•	1.5 IR Filter	+1.5
S2514R20•	1.5 IR Filter	+2.0
\$2520R15•	Gray	+1.5
S2520R20•	Gray	+2.0
S2520R25•	Gray	+2.5

# Intruder® Readers 6/box 150/case

Available in 3 Magnifying Strengths



- · Economical lightweight glass
- · Lens insert is out of user's direct line of vision.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.

Part	Lens & Temples	Mag Strength
S4110R15•	Clear	+1.5
S4110R20•	Clear	+2.0
S4110R25•	Clear	+2.5

# Readers © C AS C C Onix® Plus Readers

6/box 150/case

Available in 2 IR Flip Lens Shades | 2 Magnifying Strengths



- · 3-angle adjustable flip lens.
- · Lens insert is out of user's direct line of vision.
- · Adjustable nosepiece provides 3 different angles.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.
- Unique outer flip lens system provides users with multiple options. Flip the outer lens down for applications where tinted or IR lenses are needed.

#### **Black Frame**

Part	Lens	Mag Strength
SB4950PR15.	Clear Lens with 5.0 IR	+1.5
	Flip H2X Anti-Fog	
SB4950PR20 • •	Clear Lens with 5.0 IR	+2.0
	Flip H2X Anti-Fog	
SB4960PR15.	Clear Lens with 3.0 IR	+1.5
	Flip H2X Anti-Fog	
SB4960PR20 • •	Clear Lens with 3.0 IR	+2.0
	Flip H2X Anti-Fog	

# Emerge® Readers

6/box 150/case

Available in 3 Frame Colors | 2 Mag Strengths



Mag Strength

- · Soft nose piece provides comfort for extended use.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.
- · Stylish dual lens with full eye protection.

Lens

#### **Black Frame**

Part

SB7910D15••	Clear	+1.5
SB7910D20••	Clear	+2.0
Translucent Gray Fr	ame	
Part	Lens	Mag Strength
SG7910D15•••	Clear	+1.5
SG7910D20•••	Clear	+2.0
Translucent Carame	el Frame	
Part	Lens	Mag Strength
STC7910D15 • •	Clear	+1.5
STC7910D20 • •	Clear	+2.0

# **Prescription Lens Inserts**



V2G® Rx Insert See page 16



*V3G® Rx Insert* See page 17



PMXTREME® Rx Insert See page 34



V2G-PLUS® Rx Insert See page 56

NOTE: Prescription lens inserts are available in other Pyramex safety eyewear.

# **Displays**



Sold individually

5 Piece Blue Stationary Display DIS5BL



Sold individually

**5 Piece Stationary Display** DIS5CF



Sold individually

5 Piece Silver Corrugated Stationary Display DIS5



Sold individually

9 Piece Silver Corrugated Stationary Display DIS9



(Sold individually)

36 Piece Rotating Display DISPLAY



Sold individually

9 Piece Stationary Display DIS9TR

# Ridgeline®

The ultimate combination of high performance impact protection and exceptional personalized comfort.



#### **ABS** material

Strong, yet ultra-light for seemingly weightless protection

#### Low profile design

Offers a low center of gravity for better balance

#### Rear padded suspension

Provides additional level of comfort on the wearers' neck

#### 4-position harness points

Allows you to move the harness forward, backward, up or down allowing for the most optimal position for ultimate comfort

foam for all day wear

#### Vented pressure pad

Keeps the straps in place providing an additional level of comfort

#### Easy to grasp triangle knob

Adjusts the suspension from 6 1/2 to 8-inch hat sizes



comfortable position on the back of your head

Leading competitor hard hat accessories are compatible with RIDGELINE®.

# 





Non-vented meet ANSI Z89.1 Standards, Type I, Class C, G, and E; Vented meet ANSI Z89.1 Standards, Type I, Class C; CSA Z94.1-15



Ridgeline vented and non-vented cap style hard hats have been tested and pass for reverse orientation.











4-Point Ratchet	4-Point Vented Ratchet	4-Point Glide Lock	6 - Point Ratchet	6-Point Glide Lock	
Part	Part	Part	Part	Part	Color
HP44110 • •	HP44110V•	HP44010•	HP46110•	HP46010•	White
HP44112••	HP44112V•	HP44012•	-	HP46012•	Gray
HP44113••	<u> </u>	-		<u> </u>	Slate Gray
HP44117•	_		3	_	Graphite Pattern
HP44120••	HP44120V•	HP44020•	HP46120•	HP46020•	Red
HP44130••	HP44130V•	HP44030•	HP46130•	HP46030•	Yellow
HP44131••	HP44131V•		HP46131•	<del>-</del>	Hi-Vis* Lime
HP44135••		HP44035•	HP46135•	HP46035•	Green
HP44141••	HP44141V•	HP44041•	HP46141•	HP46041•	Hi-Vis* Orange
HP44160••	HP44160V•	HP44060•	HP46160•	HP46060•	Blue
HP44162••					Light Blue

<sup>\*</sup>Hi-Vis colors have been tested for the "HV" mark.

# Ridgeline Replacement Suspensions



HPR441 Replacement 4-Point Ratchet



HPR440 Replacement 4-Point Glide Lock



**HPR461** Replacement 6-Point Ratchet



HPR460 Replacement 6-Point Glide Lock



# Ridgeline® Full Brim (12/case)

Meet ANSI Z89.1 Standards, Type I, Class C, G, and E

- Shell constructed from ABS materials.
- · Ratchet suspension is easy to adjust and allows the wearer to modify the fit while wearing hard hat.
- · Replaceable suspensions and headbands available.
- 4-point suspension may be converted to 6-point suspension with optional strap (HP6PTSUS).

#### **HP6PTSUS** 6-Point Suspension Strap

#### **4-Point Ratchet**

Part	Color	
HP54110•		White
HP54111•		Black
HP54113•		Slate Gray
HP54117•		Graphite Pattern
HP54120•		Red
HP54130•		Yellow
HP54131•		Hi-Vis* Lime
HP54135•		Green
HP54141•		Hi-Vis* Orange
HP54160•		Blue
HP54170•		Hi-Vis Pink

<sup>\*</sup>Hi-Vis colors have been tested for the "HV" mark.



**HPR541** 4-Point Replacement Suspension

Replaceable sweat band

# Ridgeline® Bump Caps 16/box 64/case

This cap is not designed to meet the ANSI Z89.1 class C, G, & E standards for industrial head protection.



**Ventilation holes** Keeps your head cool and dry for all day wear **4-Point Glide Lock** 

Glide lock suspension

Part Color HP40010 White HP40011 Black HP40012 Gray **HP40015** Brown HP40020 Red HP40030 Yellow HP40035 Green HP40040 Orange **HP40060** Blue

Stylish RIDGELINE bump caps are available for applications where hard hats are not required, but some protection from minor bumps and scalp lacerations are needed. Ridgeline bump caps are made of polyethylene material and are not designed to meet the safety standards for industrial head protection.



**BPRBAND Bump Cap Sweat Band** 

# SL Series Cap Style 🕮 🖼





Exceeds ANSI Z89.1, Type 1, Class C, G, and E for industrial head protection; CSA Z94.1-15



- · Low profile design.
- Shell constructed from High Density Polyethylene materials.
- · Rain trough on sides and back of helmet channel moisture away.
- Universal accessory slots fit cap mounted ear muffs and accessories. Hats also accommodate chin straps.
- · Snap Lock suspension features "tuck away" adjustments for all day, hassle free wear.
- · Ratchet suspension is easy to adjust and allows the wearer to modify the fit while wearing hard hat.
- Cap style is available with 4- and 6-point nylon suspensions Snap Lock and Ratchet styles.
- · Replaceable suspensions and headbands available.

### SL Series cap style hard hats have been tested and pass for reverse orientation.









4-Point Snap Lock	4-Point Ratchet	6-Point Snap Lock	6-Point Ratchet	
Part	Part	Part	Part	Color
HP14010•	HP14110••	HP16010•	HP16110•	White
	HP14111••			Black
	HP14112••	<u> </u>		Gray
HP14020•	HP14120••	HP16020•	HP16120•	Red
HP14030•	HP14130••	HP16030•	HP16130•	Yellow
HP14031•	HP14131••	<u> </u>		Hi-Vis* Lime
HP14035•	HP14135••	HP16035•	HP16135•	Green
HP14040•	HP14140••	HP16040•	HP16140•	Orange
<u> —</u>	HP14141••	<u> </u>	HP16141•	Hi-Vis* Orange
HP14060•	HP14160••	HP16060•	HP16160•	Blue
HP14062•	HP14162••		— —	Light Blue
	HP14165••		)	Dark Blue
	HP14170••		· · ·	Hi-Vis Pink
	HP141	_	HP161	Replacement Suspension Only



HHBAND Universal Replacement Hard Hat Sweat Band



**HPTRBAN** Hard Hat Terry Cloth **Sweat Band** 



\*Hi-Vis colors have been tested for the "HV" mark.



Chin Strap