

SL Series Full Brim



12/case

Exceeds ANSI Z89.1, Type 1, Class C, G, and E for industrial head protection; CSA Z94.1-15

- Shell constructed from High Density Polyethylene materials.
- Ratchet suspension is easy to adjust and allows the wearer to modify the fit while wearing hard hat.
- Replaceable suspensions and headbands available.



4-Point Ratchet	6-Point Ratchet	Color
HP24110••	HP26110•	White
HP24111••	—	Black
HP24120••	HP26120•	Red
HP24130••	HP26130•	Yellow
HP24131•	—	Hi-Vis* Lime
HP24135••	HP26135•	Green
HP24140••	HP26140•	Orange
HP24141••	—	Hi-Vis* Orange
HP24160••	HP26160•	Blue

HP241	HP261	Replacement Suspension Only
-------	-------	-----------------------------

*Hi-Vis colors have been tested for the "HV" mark.

SL Series Sleek Shell



12/case

Exceeds ANSI Z89.1, Type 1, Class C, G, and E

- Polyethylene materials.
- Offers impact and penetration resistance.
- Ridgeless low profile design.
- No rain trough- prevents pooling of liquids.
- Ideal for linemen - Exceeds ANSI Type 1, Class E.
- Soft brow pad absorbs perspiration.
- Custom imprinting available on hard hats.



Full Brim



Cap Style

Full Brim 4-Point Ratchet	Cap Style 4-Point Ratchet	Color
Part	Part	
HPS24110•	HPS14110•	White
HPS24112•	—	Gray
HPS24160•	—	Blue

HPSSUS	Replacement Suspension Only
--------	-----------------------------

HEAD PROTECTION

Headgear

FACE PROTECTION



12/box 48/case

Ridgeline Ratchet Headgear

HGBR•

- Constructed from durable nylon
- Universal pegs will accommodate a wide variety of face shields
- Ratchet style adjustment for easy fit
- Pivoting action allows user to lift face shield while wearing
- Crown Width 6.25"
- Universal sizing



1/bag 50/case

Cap Style Adapter

HHAB•

- Constructed from durable nylon with protective plastic coated tension spring
- Universal sizing fits on the brim of most hard hats and accommodates a variety of face shields



1/bag 50/case

Full Brim Adapter

HHABW•

- Constructed from durable nylon
- Dielectric-constructed from 100% nylon materials
- Universal sizing fits on the brim of most hard hats and accommodates a variety of face shields



1/bag 50/case

Black Hard Hat Adapter

HHAN•

- Dielectric-constructed from 100% nylon materials
- Universal sizing fits on the brim of most hard hats and accommodates a variety of face shields



1/bag 50/case

Aluminum Hard Hat Adapter

HHAA•

- Constructed from lightweight aluminum
- Universal sizing fits on the brim of most hard hats and accommodates a variety of face shields



1/bag 50/case

Cap Style Aluminum Adapter

HHAAD•

- Deluxe aluminum construction
- Designed to fit more rounded cap style hard hats
- Accommodates a variety of face shields



1/bag 50/case

Full Brim Aluminum Adapter

HHAAW•

- Designed to fit full brim style hard hats
- Deluxe aluminum construction
- Universal sizing fits most full brim style hard hats and accommodates a wide variety of face shields



1/bag 50/case

SL Series Cap Style Adapter

HHBCMS•

- Dielectric
- Hard hat adapters fit into slots of cap style hard hats
- Can be used with cap mounted ear muffs.
- Adjustable while using cap mounted ear muffs
- Pivoting action allows user to lift face shield while wearing
- Universal sizing fits on the brim of most hard hats
- Accommodates a variety of face shields
- Shown with HP44110 & CM6010 - sold separately



Ridgeline Cap Style Adapter

HHBCMR•

Face Shields



1/bag 100/case

Polyethylene Face Shield

S1010•

- PETG shield 8" x 15"
- .040" thick
- Shown with HGBR - sold separately



1/bag 50/case

Polyethylene Face Shield

S1015•

- Aluminum bound PETG shield 8" x 15"
- .040" thick
- Shown with HGBR - sold separately



1/bag 100/case

Polycarbonate Face Shield

S1020•

- PC shield 8" x 15"
- .040" thick
- Provides 99% UVA/B/C protection
- Shown with HGBR - sold separately



1/bag 100/case

Polyethylene Face Shield

S1035•

- Dark green PETG shield 8" x 15"
- .040" thick
- Green tinted - does not contain IR resin
- Shown with HGBR - sold separately

Face Shields



FACE PROTECTION



1/bag 50/case
Polycarbonate Face Shield S1040
 • Aluminum bound PC shield
 • Polycarbonate shield 8" x 15"
 • .040" thick
 • Provides 99% UVA/B/C protection
 • Shown with HGBR - sold separately



1/bag
HGBR & S1040 Combo Kit HGBRKITCS
 • Aluminum bound PC shield
 • See S1040 features
 • Provides 99% UVA/B/C protection
 • See HGBR features



1/bag 200/case
Wire Mesh Face Shield S1060
 • Mesh shield 7.625 x 15
 • Meets only ANSI Z87.1 High Impact Requirements
 • Shown with HGBR - sold separately



1/bag 50/case
Polycarbonate Tapered Face Shield S1110
 • PC shield 8" x 15.5"
 • .078" thick
 • Provides 99% UVA/B/C protection
 • Shown with HGBR - sold separately



1/bag 50/case
Polycarbonate Tapered Face Shield S1150
 • IR5 shield 8" x 15.5"
 • .078" thick
 • Provides 99% UVA/B/C protection
 • Shown with HGBR - sold separately



1/bag 50/case
Polycarbonate Cylinder Face Shield S1210
 • PC shield 8" x 15.5"
 • .078" thick
 • Provides 99% UVA/B/C protection
 • Shown with HGBR - sold separately



1/bag 50/case
Polycarbonate Cylinder Face Shield S1250
 • IR5 shield 8" x 15.5"
 • .078" thick
 • Provides 99% UVA/B/C protection
 • Shown with HGBR - sold separately



1/bag 50/case
Polycarbonate Cylinder Face Shield with Holes S1210CC
 • PC shield 8" x 15.5"
 • .078" thick
 • Provides 99% UVA/B/C protection
 • Accessory holes on bottom accommodate - CHICUP sold separately



1/bag 100/case
Chin Protector for S1210CC CHICUP
 • 8.46" x 2.74"
 • .09" thick

See page 57 for information about the Capstone Shields.



1/bag 36/case
Capstone Shield GG504TSHIELD
 Clear H2X Anti-Fog Lens with Clear Shield



1/bag 36/case
Capstone Shield GG504DTSHIELD
 Clear H2X Anti-Fog Dual Lens with Clear Shield



1/bag 36/case
Capstone Shield GG504TSHIELDIR3
 IR3 H2X Anti-Fog Lens with Tinted Shield



1/bag 36/case
Capstone Shield GG504TSHIELDIR5
 IR5 H2X Anti-Fog Lens with Tinted Shield

Auto Darkening Helmets FEATURES AT A GLANCE

Material	Sensors	Switching Speed	TIG Rating	Cutting Modes	UV/IR Protection	Power Supply
High-impact resistant polyamide	Four independent in staggered design	1/30000 sec	5 Amps and below	Welding and Grinding	Up to shade DIN16 at all times	Solar cells and replaceable lithium-battery


- Superior comfort with pivot style headgear
- Made of high-impact resistant polyamide
- Four independent arc sensors in a staggered design to deliver the most reliable arc detection
- High speed lens – 1/30000 second
- Powered by solar cells and replaceable lithium-battery
- Includes magnification lens holder

Auto darkening helmets are supported by the ultra-comfortable speed pivoting headgear



WHAM10 Series 1/box 6/case

ANSI Z87.1



Manual Controls

Viewing Area	Shades	Operation Controls
3.937" x 1.77" (100 x 45 mm)	DIN4/9-13 stepless variable	External/Internal

Part No.	Description
WHAM1020MB	Matte Black



WHAM30 Series 1/box 6/case

ANSI Z87.1



Manual Controls

Viewing Area	Shades	Operation Controls
3.858" x 3.425" (98 x 87 mm)	DIN4/5-8/9-13 stepless variable	Internal

Part No.	Description
WHAM3030GB	Glossy Black
WHAM3030FM	Fire Metal
WHAM3030AE	American Eagle



WHAD60 Series



1/box 6/case

ANSI Z87.1



Digital Controls

Viewing Area	Shades	Operation Controls
3.937" x 2.362" (100 x 60 mm)	DIN4/5-8/9-13 digital display	Internal

Part No.	Description
WHAD6030GB	Glossy Black
WHAD6030MB	Metallic Blue



Passive Helmet/Goggles



1/box 12/case

Passive Helmet with IR10 Plate WHP100•

- Lightweight thermoplastic shell provides total head, face and neck protection
- Fully adjustable nylon suspension
- Lift front with viewing area of 2" x 4 1/4" (50.8 x 107.95 mm)
- Fitted with IR shade #10 welding filter
- Optimally balanced "shake down" helmet minimizes carbon monoxide build up
- Ample space for respirators



12/box 144/case

Lift Front Goggle WG100•

- Lift front lens
- Soft PVC goggle body
- Tough, durable ABS lens holder
- Elastic strap holds goggle firmly in place
- IR shade #5, polycarbonate lens
- Indirectly vented to reduce fogging and control the influx of liquids



12/box 144/case

Stationary Lens Goggle WG200•

- Stationary lens
- Soft PVC goggle body
- Tough, durable ABS lens holder
- Elastic strap holds goggle firmly in place
- IR shade #5, polycarbonate lens
- Indirectly vented to reduce fogging and control the influx of liquids



100/box 100/case

Polycarbonate Replacement Lens WR1R10•

- 2" x 4 1/4" (50.8 x 107.95 mm)
- IR Shade #10, polycarbonate lens
- Fits LEADHEAD WHP100, WG100, and WG200.



Face Shields 1/bag 50/case

See page 72 for complete listing of all faceshields.

Polycarbonate Tapered Face Shield

- \$1150**
- IR5 shield 8" x 15.5"
 - 0.078" thick
 - Shown with HGBR - sold separately.

Polycarbonate Cylinder Face Shield

- \$1250**
- IR5 shield 8" x 15.5"
 - 0.078" thick
 - Shown with HGBR - sold separately.



Capstone® Shield 1/bag 36/case

See page 57 for complete Capstone Shield features and additional lens options.

Part	Lens and Shield
GG504TSHIELDIR3	IR3 H2X Anti-Fog Lens with Tinted* Shield
GG504TSHIELDIR5	IR5 H2X Anti-Fog Lens with Tinted* Shield

** NOTE: Only the goggle for GG504TSHIELDIR3 and GG504TSHIELDIR5 contains IR dye. Due to the nature of the vented holes, the shield is only green tinted and does not contain the IR resin.*



Onix® Plus 12/box 300/case

See page 39 for complete Onix Plus features and additional lens options.

Black Frame

Part	Lens
SB4950STP	Clear Lens with 5.0 IR Flip H2X Anti-Fog
SB4960STP	Clear Lens with 3.0 IR Flip H2X Anti-Fog



Onix Plus Readers 6/box 150/case

See page 39 for complete Onix Plus Readers features and additional lens options.

Black Frame

Part	Lens
SB4950PR15	Clear +1.5 Lens with 5.0 IR Flip H2X Anti-Fog
SB4950PR20	Clear +2.0 Lens with 5.0 IR Flip H2X Anti-Fog
SB4960PR15	Clear +1.5 Lens with 3.0 IR Flip H2X Anti-Fog
SB4960PR20	Clear +2.0 Lens with 3.0 IR Flip H2X Anti-Fog

Welding Protection



12/box 300/case

Emerge®

See page 29 for complete EmERGE features and additional lens options.

Black Frame

Part	Lens
SB7950SF••	5.0 IR Filter
SB7960SF••	3.0 IR Filter



12/box 300/case

Integra®

See page 53 for complete Integra features and additional lens options.

Black Frame

Part	Lens
SB450SF••	5.0 IR Filter
SB460SF••	3.0 IR Filter



12/box 300/case

OTS®

See page 52 for complete OTS features and additional lens options.

Black Temples

Part	Lens
S3550SFJ•	5.0 IR Filter
S3560SFJ•	3.0 IR Filter



12/box 144/case

V2G®

See page 16 for complete V2G features and additional lens options.

Black Frame with Temples and Strap

Part	Lens
GB1850SFT••••	5.0 IR Filter H2X Anti-Fog
GB1860SFT••••	3.0 IR Filter H2X Anti-Fog



12/box 300/case

Venture II®

See page 30 for complete Venture II features and additional lens options.

Black Frame

Part	Lens
SB1850SF••••	5.0 IR Filter
SB1860SF••••	3.0 IR Filter



12/box 300/case

Venture 3®

See page 31 for complete Venture 3 features and additional lens options.

Black Frame

Part	Lens
SB5750SFT••••	5.0 IR Filter Anti-Fog
SB5760SFT••••	3.0 IR Filter Anti-Fog



Ztek®

12/box 300/case

Black Temples

Part	Lens
S2514S••••	1.5 IR Filter
S2550SF•	5.0 IR Filter
S2560SF•	3.0 IR Filter
S25ARCS••	Lens Coating blocks 75% of IR Radiation

Ztek IR Readers

12/box 300/case

Black Temples

Part	Lens	Mag Strength
S2514R15•	1.5 IR Filter	+1.5
S2514R20•	1.5 IR Filter	+2.0

See page 44 for complete Ztek & Ztek Readers features and additional lens options.

LUMEN-X®

LUMEN-X®

BY PYRAMEX






LUMEN-X®

FEATURES AT A GLANCE



Hi-Vis Solid/
Mesh Material



Hi-Vis
Mesh Material




Reflective
Tape




Contrasting
Tape



Zipper



Outside
Pockets



Inside
Pockets

Class 2 Vests



RVZ21 Series 1/bag 50/case

ANSI/ISEA 107 - 2010 / Class 2 Level 2



Sizes Medium – 5X-Large

Hi-Vis Lime Part

RVZ2110(M, L, XL, X2, X3, X4, X5)

Hi-Vis Orange Part

RVZ2120(M, L, XL, X2, X3, X4, X5)

- Hi-Vis lightweight polyester mesh material
- 2 inch silver reflective material around bottom and over shoulders
- Zipper front closure
- Chest pocket with hook and loop closure
- Deep and wide inside pocket



RVZ22 Series 1/bag 50/case

ANSI/ISEA 107 - 2010 / Class 2 Level 2



Sizes Medium – 5X-Large

Hi-Vis Lime Part

RVZ2210(M, L, XL, X2, X3, X4, X5)

Hi-Vis Orange Part

RVZ2220(M, L, XL, X2, X3, X4, X5)

- Hi-Vis lightweight polyester mesh material
- 2 inch silver reflective material with contrasting color trim
- Zipper front closure
- Chest pocket with hook and loop closure
- Deep and wide inside pocket



RVZ23 Series 1/bag 50/case

ANSI/ISEA 107 - 2010 / Class 2 Level 2



Sizes Small – 5X-Large

Hi-Vis Lime Part

RVZ2310(S, M, L, XL, X2, X3, X4, X5)

- Hi-Vis lightweight polyester mesh material
- 2 inch silver reflective material with contrasting color trim
- Zipper front closure
- 6 pockets: 4 outside, 2 inside
- 2 mic holder loops



RVZ24 Series 1/bag 50/case

ANSI/ISEA 107 - 2010 / Class 2 Level 2



Sizes Medium – 5X-Large

Hi-Vis Lime Part

RVZ2410(M, L, XL, X2, X3, X4, X5)

Hi-Vis Orange Part

RVZ2420(M, L, XL, X2, X3, X4, X5)

- Hi-Vis lightweight polyester solid material on front, mesh material on back
- 2 inch silver reflective material with contrasting color trim
- Zipper front closure
- 8 pockets: 5 outside, 3 inside
- 2 mic holder loops